

ATENCIÓN

- ⚡ Lea por completo las instrucciones del aparato.
- ⚡ Guarde las instrucciones del aparato.
- ⚡ Preste atención a todas las advertencias.
- ⚡ No utilice éste aparato junto a agua o en condiciones de gran humedad ambiente.
- ⚡ No instale cerca de fuentes de calor como radiadores o disipadores.
- ⚡ Limpie con una gamuza seca o levemente húmeda.
- ⚡ Proteja el cable de alimentación de posibles tirones o pisotones.
- ⚡ Desconecte el aparato durante tormentas eléctricas o cuando no vaya a ser usado por largos periodos de tiempo.
- ⚡ No existen partes en el interior que puedan ser reparadas por el usuario.
- ⚡ Cualquier operación en el interior del dispositivo debe ser realizada por personal cualificado.
- ⚡ Se requerirá la intervención de un servicio técnico cuando el aparato se dañe de alguna forma, por ejemplo por sobretensiones, caídas, derrames de líquidos sobre el mismo o si es expuesto a lluvia o humedad.
- ⚡ **ATENCIÓN:** Para reducir el riesgo de shock, no exponga el aparato a lluvia o humedad.
- ⚡ Para más información o ante cualquier duda, consulte con el fabricante.

GARANTÍA

Triode Electronic Engineering S.L. garantiza este producto durante dos años desde su compra frente a defectos en materiales y procesos de manufactura bajo condiciones normales de uso.

La garantía ofrecida por Triode Electronic Engineering S.L. comprende la sustitución de piezas defectuosas que muestren evidencias de defectos, siempre que el producto sea devuelto a Triode Electronic Engineering S.L. en un plazo de dos años desde su compra.

Triode Electronic Engineering S.L. se reserva el derecho a realizar cambios en el diseño o realizar cualquier tipo de adición o mejora en este producto sin incurrir en obligación de instalar las mismas en productos fabricados previamente.

La garantía quedará anulada si se realizan operaciones en el interior del mismo por parte de una persona que no sea un técnico cualificado de Triode Electronic Engineering S.L.

La garantía quedará anulada si el dispositivo es alimentado con voltaje AC o fuera del rango especificado en este manual.

Para ejercer el uso de la garantía debe presentarse una prueba de compra.

Nombre del fabricante
Dirección del fabricante

Nombre del producto

Triode Electronic Engineering S.L.
C/ Gabriel Ciscar 23, CP. 02005
Albacete, España.
Roadhouse

WARNING

- ⚡ Read carefully this manual before use.
- ⚡ Keep these instructions.
- ⚡ Heed all warnings.
- ⚡ Do not use this apparatus near water.
- ⚡ Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
- ⚡ Clean only with dry cloth.
- ⚡ Protect the power cord from being walked on or pinched particularly at plugs, convenience receptacles, and the point where they exit from the device.
- ⚡ Unplug this apparatus during lightning storms or when unused for long periods of time.
- ⚡ No user serviceable parts inside. Refer all servicing to qualified service personnel.
- ⚡ Servicing is required when the apparatus has been damaged in any way, such as power-supply cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus, the apparatus has been exposed to air or moisture, does not operate normally, or has been dropped.
- ⚡ **WARNING:** To reduce the risk of fire or electric shock, do not expose this apparatus to rain or moisture.
- ⚡ Refer to labels on the unit, including bottom cover, or other markings and pertinent information.

WARRANTY

Triode Electronic Engineering S.L. warrants this product to be free from defects in materials and workmanship under normal use and service.

Thermion liability under this warranty is limited to repairing or replacing defective materials that show evidence of defect, provided the product is returned to Thermion with return authorization, where all parts and labor will be covered up to a period of two years.

The company shall not be liable for any consequential damage as a result of the product's use in any circuit or assembly.

Proof-of-purchase is considered to be the burden of the consumer.

Thermion reserves the right to make changes in design, or make additions to, or improvements upon this product without incurring any obligation to install the same on products previously manufactured.

The consumer forfeits the benefits of this warranty if the product's main assembly is opened and tampered with by anyone other than a certified Thermion technician or, if the product is used with voltages outside of the range suggested by the manufacturer.

Manufacturer name
Manufacturer Address

Product name

Triode Electronic Engineering S.L.
C/ Gabriel Ciscar 23, CP. 02005
Albacete, Spain.
Roadhouse


INTRODUCCIÓN / INTRODUCTION

ES Tienes en tus manos tu Thermion Roadhouse: Dual Analog Interface Amplifier. Roadhouse es un amplificador DI analógico dual, sistema de emulación de altavoces e interfaz de audio USB con amplias posibilidades de conexión. Combina dos canales analógicos con Boost seleccionable, un motor Analog Speaker Modeling, reverb, lazo de efectos, salida XLR balanceada, salidas dedicadas para etapa de potencia y amplificador de guitarra, salida de auriculares, entrada auxiliar estéreo e interfaz de audio mediante USB C. Hemos escogido lo mejor de cada tecnología para ofrecer el mejor tono analógico y la mayor portabilidad.

EN You are holding your Thermion Roadhouse: Dual Analog Interface Amplifier. Roadhouse is a two channel analog DI amplifier, speaker emulation system and USB audio interface with extensive connection options. It combines two analog channels with selectable Boost, an Analog Speaker Modeling engine, reverb, an effects loop, a balanced XLR output, dedicated outputs for a power amp and guitar amplifier, a headphone output, a stereo auxiliary input and USB C audio. We have selected the best of each technology to deliver the finest analog tone and maximum portability.

EJEMPLOS DE CONEXIÓN / WIRING EXAMPLES

A un sistema PA o monitores FRFR / To a PA system or FRFR monitors




A un amplificador de guitarra eléctrica / To an electric guitar amplifier




A una etapa de potencia individual o de otro amplificador

To a standalone power amp or the power amp section of another amplifier



A un sistema PA o monitores FRFR para tocar en vivo o ensayar usando backing tracks / To a PA system or FRFR monitors for live performance or rehearsal with backing tracks




Como interfaz de grabación principal / As the main recording interface



A una interfaz de grabación externa / To an external recording interface



Como preamplificador, conectado directamente a un modelador de altavoces externo / As a preamplifier connected directly to an external speaker modeler



Descarga el manual de usuario / Download the user manual

